



This report cannot be used for OHA or OLCC compliance requirements.

**Customer:** Flying Skull Plant Products

**Product identity:** 174101A Nuke Em  
**Client/Metric ID:** .  
**Sample Date:**  
**Laboratory ID:** 17-001060-0001  
**Relinquished by:** Gordon Redman  
**Temp:** 22.5 °C

**Sample Results**

Pesticides					Method					Units mg/kg Batch 1701133 Analyze 5/26/17 15:34				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes			
Abamectin (sum)	< LOQ	0.50	0.30	pass		Acephate	< LOQ	0.40	0.20	pass				
Acequinocyl	< LOQ	2.00	1.00	pass		Acetamiprid	< LOQ	0.20	0.10	pass				
Aldicarb	< LOQ	0.40	0.20	pass		Azoxystrobin	< LOQ	0.20	0.10	pass				
Bifenazate	< LOQ	0.20	0.10	pass		Bifenthrin	< LOQ	0.20	0.10	pass				
Boscalid	< LOQ	0.40	0.10	pass		Carbaryl	< LOQ	0.20	0.10	pass				
Carbofuran	< LOQ	0.20	0.10	pass		Chlorantraniliprole	< LOQ	0.20	0.10	pass				
Chlorfenapyr	< LOQ	1.00	1.00	pass		Chlorpyrifos	< LOQ	0.20	0.10	pass				
Clofentezine	< LOQ	0.20	0.10	pass		Cyfluthrin (incl. Beta-Cyfl)	< LOQ	1.00	1.00	pass				
Cypermethrin	< LOQ	1.00	1.00	pass		Daminozide	< LOQ	1.00	1.00	pass				
Diazinon	< LOQ	0.20	0.10	pass		Dichlorvos	< LOQ	1.00	0.50	pass				
Dimethoate	< LOQ	0.20	0.10	pass		Ethoprophos	< LOQ	0.20	0.10	pass				
Etofenprox	< LOQ	0.40	0.10	pass		Etoxazole	< LOQ	0.20	0.10	pass				
Fenoxycarb	< LOQ	0.20	0.10	pass		Fenpyroximate	< LOQ	0.40	0.10	pass				
Fipronil	< LOQ	0.40	0.10	pass		Fonicamid	< LOQ	1.00	0.40	pass				
Fludioxonil	< LOQ	0.40	0.10	pass		Hexythiazox	< LOQ	1.00	0.40	pass				
Imazalil	< LOQ	0.20	0.10	pass		Imidacloprid	< LOQ	0.40	0.20	pass				
Kresoxim-methyl	< LOQ	0.40	0.10	pass		Malathion	< LOQ	0.20	0.10	pass				
Metalaxyl	< LOQ	0.20	0.10	pass		Methiocarb	< LOQ	0.20	0.10	pass				
Methomyl	< LOQ	0.40	0.20	pass		Methyl Parathion	< LOQ	0.20	0.20	pass				
MGK-264	< LOQ	0.20	0.10	pass		Myclobutanil	< LOQ	0.20	0.10	pass				
Naled	< LOQ	0.50	0.20	pass		Oxamyl	< LOQ	1.00	0.40	pass				
Paclobotrazole	< LOQ	0.40	0.20	pass		Permethrin	< LOQ	0.20	0.10	pass				
Phosmet	< LOQ	0.20	0.10	pass		Piperonyl butoxide	< LOQ	2.00	1.00	pass				
Prallethrin	< LOQ	0.20	0.20	pass		Propiconazole	< LOQ	0.40	0.20	pass				
Propoxur	< LOQ	0.20	0.10	pass		Pyrethrins	< LOQ	1.00	0.50	pass				

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

Pesticides		Method				Units mg/kg	Batch 1701133	Analyze 5/26/17 15:34			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Pyridaben	< LOQ	0.20	0.10	pass		Spinosad	< LOQ	0.20	0.10	pass	
Spiromesifen	< LOQ	0.20	0.10	pass		Spirotetramat	< LOQ	0.20	0.10	pass	
Spiroxamine	< LOQ	0.40	0.10	pass		Tebuconazole	< LOQ	0.40	0.20	pass	
Thiacloprid	< LOQ	0.20	0.10	pass		Thiamethoxam	< LOQ	0.20	0.10	pass	
Trifloxystrobin	< LOQ	0.20	0.10	pass							



This report cannot be used for OHA or OLCC compliance requirements.

---

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

**Units of Measure**

mg/kg = Milligram per kilogram

% wt =  $\mu\text{g/g}$  divided by 10,000

Approved Signatory




---

Derrick Tanner  
General Manager



This report cannot be used for OHA or OLCC compliance requirements.

FLYINGSKULLPLANT 17-001060



Flying Skull Plant Products

## ANALYTICAL REQUEST/CHAIN OF CUSTODY

COLUMBIA FOOD LABORATORIES, INC  
12423 NE Whitaker Way  
Portland, OR 97230  
Phone: (503) 695-2287 Fax: (503)254-1452 www.columbiafoodlab.com

info@columbiafoodlab.com

Company Name: Flying Skull Plant Products  
Point of Contact: x  
Address: 13896 S. Fir St.  
City, State, Zip: Oregon City, Oregon

Phone No.: 5035190895 Fax No.: \_\_\_\_\_

Email Address for reports: x Gordon@flying-skull.net

Invoice to a different name and/or address (check here and write information on other side of this form)

After analysis, samples are to be:

- Disposed of by CFL  Stored over 30 days  
 Returned to Customer  Stored 30 days max.

For Nutrition Labels:

Serving Size \_\_\_\_\_ oz or \_\_\_\_\_ grams

No. of servings per container: \_\_\_\_\_

Cannabis Pesticide

ANALYSES REQUESTED

Write sample information in horizontal rows. Write test names or codes in vertical boxes at left. Mark an "x" at the intersection, where appropriate.

MARKED FOR JWC

Client Sample Identification	Date/Time Taken	# of Containers	Sample Type/Description	C-tainer Type	ANALYSES REQUESTED										Comments		
<u>x</u> 174101A			<u>x</u> NUKE Em														

Sampled by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
Relinquished by: x Gordon Reisman  
Dispatched by: Gordon Reisman  
Method of shipment: \_\_\_\_\_

Received by: Mew Date: 5-24-17 Time: 10:05a  
Received by: \_\_\_\_\_  
Received for Lab by: \_\_\_\_\_  
Lab Job No.: \_\_\_\_\_ Lab Comments: \_\_\_\_\_

Rev# 110/6/2015

5-8-1-1-B Analytical Request/Chain of Custody

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

**Laboratory Pesticide Quality Control Results**

AOAC 2007.1 & EN 15662		Units: mg/Kg					Batch ID: 1701133			
Matrix Spike/Matrix Spike Duplicate Recoveries						Sample ID: 17-001061-0005				
Analyte	Result	MS Res	MSD Res	Spike	RPD%	MS % Rec	MSD % Rec	Limits	Notes	
Acephate	0.000	0.887	0.877	0.800	1.1	< 30	110.9	109.6	50 - 150	
Acequinocyl	0.000	3.900	4.100	4.000	5.0	< 30	97.5	102.5	50 - 150	
Acetamiprid	0.000	0.416	0.407	0.400	2.2	< 30	104.0	101.8	50 - 150	
Aldicarb	0.000	0.374	0.357	0.400	4.7	< 30	93.5	89.3	50 - 150	
Abamectin	0.000	0.421	0.410	0.384	2.6	< 30	109.6	106.8	50 - 150	
Azoxystrobin	0.000	0.436	0.412	0.400	5.7	< 30	109.0	103.0	50 - 150	
Bifenazate	0.000	0.467	0.457	0.400	2.2	< 30	116.8	114.3	50 - 150	
Bifenthrin	0.000	0.443	0.438	0.400	1.1	< 30	110.8	109.5	50 - 150	
Boscalid	0.000	0.461	0.438	0.400	5.1	< 30	115.3	109.5	50 - 150	
Carbaryl	0.000	0.431	0.436	0.400	1.2	< 30	107.8	109.0	50 - 150	
Carbofuran	0.000	0.414	0.417	0.400	0.7	< 30	103.5	104.3	50 - 150	
Chlorantraniliprol	0.000	0.356	0.344	0.400	3.4	< 30	89.0	86.0	50 - 150	
Chlorfenapyr	0.000	1.750	2.090	2.000	17.7	< 30	87.5	104.5	50 - 150	
Chlorpyrifos	0.002	0.453	0.438	0.400	3.4	< 30	112.8	109.0	50 - 150	
Clofentezine	0.000	0.512	0.481	0.400	6.2	< 30	128.0	120.3	50 - 150	
Cyfluthrin	0.000	1.940	2.110	2.000	8.4	< 30	97.0	105.5	30 - 150	
Cypermethrin	0.006	2.050	2.180	2.000	6.1	< 30	102.2	108.7	50 - 150	
Daminozide	0.000	0.761	0.848	2.000	10.8	< 30	38.1	42.4	30 - 150	
Diazinon	0.000	0.465	0.454	0.400	2.4	< 30	116.3	113.5	50 - 150	
Dichlorvos	0.014	0.194	0.196	0.200	1.0	< 30	89.9	90.9	50 - 150	
Dimethoat	0.000	0.423	0.414	0.400	2.2	< 30	105.8	103.5	50 - 150	
Ethoprophos	0.000	0.471	0.490	0.400	4.0	< 30	117.8	122.5	50 - 150	
Etofenprox	0.000	0.439	0.434	0.400	1.1	< 30	109.7	108.4	50 - 150	
Etoxazol	0.000	0.480	0.468	0.400	2.5	< 30	120.0	117.0	50 - 150	
Fenoxycarb	0.000	0.474	0.478	0.400	0.8	< 30	118.5	119.5	50 - 150	
Fenpyroximat	0.000	0.446	0.435	0.400	2.5	< 30	111.5	108.8	50 - 150	
Fipronil	0.000	0.424	0.437	0.400	3.0	< 30	106.0	109.3	50 - 150	
Flonicamid	0.000	2.030	2.130	2.000	4.8	< 30	101.5	106.5	50 - 150	
Fludioxonil	0.000	0.436	0.424	0.400	2.8	< 30	109.0	106.0	50 - 150	
Hexythiazox	0.000	0.426	0.430	0.400	0.9	< 30	106.5	107.5	50 - 150	
Imazalil	0.000	0.447	0.439	0.400	1.8	< 30	111.8	109.8	50 - 150	
Imidacloprid	0.000	0.448	0.437	0.400	2.5	< 30	112.0	109.3	50 - 150	
Kresoxim-Methyl	0.000	0.478	0.466	0.400	2.5	< 30	119.5	116.5	50 - 150	
Malathion	0.000	0.586	0.598	0.400	2.0	< 30	146.5	149.5	50 - 150	
Metalaxyl	0.000	0.419	0.404	0.400	3.6	< 30	104.8	101.0	50 - 150	
Methiocarb	0.000	0.510	0.496	0.400	2.8	< 30	127.5	124.0	50 - 150	
Methomyl	0.000	0.408	0.418	0.400	2.4	< 30	102.0	104.5	50 - 150	
MGK 264	0.000	0.447	0.435	0.400	2.7	< 30	111.8	108.8	50 - 150	
Myclobutanil	0.000	0.544	0.589	0.400	7.9	< 30	136.0	147.3	50 - 150	
Naled	0.000	0.801	0.845	1.000	5.3	< 30	80.1	84.5	50 - 150	
Oxamyl	0.000	1.950	2.030	2.000	4.0	< 30	97.5	101.5	50 - 150	
Paclobutrazol	0.000	0.518	0.526	0.400	1.5	< 30	129.4	131.4	50 - 150	
Parathion Methyl	0.000	0.483	0.323	0.400	39.7	< 30	120.8	80.8	30 - 150	
Permethrin	0.000	0.422	0.414	0.400	1.9	< 30	105.5	103.5	50 - 150	
Phosmet	0.000	0.465	0.466	0.400	0.2	< 30	116.3	116.5	50 - 150	
Piperonyl butoxide	0.000	1.990	2.100	2.000	5.4	< 30	99.5	105.0	50 - 150	
Prallethrin	0.000	0.437	0.437	0.400	0.0	< 30	109.3	109.3	50 - 150	
Propiconazole	0.000	0.899	0.905	0.800	0.7	< 30	112.4	113.1	50 - 150	
Propoxur	0.000	0.376	0.381	0.400	1.3	< 30	94.0	95.3	50 - 150	
Pyrethrins	0.000	2.220	2.260	2.000	1.8	< 30	111.0	113.0	50 - 150	
Pyridaben	0.000	0.481	0.478	0.400	0.6	< 30	120.3	119.5	50 - 150	
Spinosad	0.000	0.456	0.455	0.400	0.2	< 30	114.0	113.8	50 - 150	
Spiromesifen	0.000	0.451	0.440	0.400	2.5	< 30	112.8	110.0	50 - 150	
Spirotetramat	0.002	0.427	0.408	0.400	4.6	< 30	106.3	101.6	50 - 150	
Spiroxamine	0.000	0.377	0.378	0.400	0.3	< 30	94.3	94.5	50 - 150	
Tebuconazol	0.006	0.446	0.448	0.400	0.4	< 30	110.1	110.6	50 - 150	
Thiacloprid	0.000	0.392	0.398	0.400	1.5	< 30	98.0	99.5	50 - 150	
Thiamethoxam	0.000	0.434	0.430	0.400	0.9	< 30	108.5	107.5	50 - 150	
Trifloxystrobin	0.000	0.430	0.422	0.400	1.2	< 30	107.5	105.5	50 - 150	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

**Laboratory Pesticide Quality Control Results**

AOAC 2007.1 & EN 15662		Units: mg/Kg		Batch ID: 1701133				
Method Blank		Laboratory Control Sample						
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Acephate	ND	< 0.200		0.870	0.800	108.8	70 - 130	
Acequinocyl	ND	< 1.000		4.060	4.000	101.5	70 - 130	
Acetamiprid	ND	< 0.100		0.393	0.400	98.3	70 - 130	
Aldicarb	ND	< 0.200		0.339	0.400	84.8	70 - 130	
Abamectin	ND	< 0.288		0.399	0.384	103.9	70 - 130	
Azoxystrobin	ND	< 0.100		0.386	0.400	96.5	70 - 130	
Bifenazate	ND	< 0.100		0.408	0.400	102.0	70 - 130	
Bifenthrin	ND	< 0.100		0.413	0.400	103.3	70 - 130	
Boscalid	ND	< 0.100		0.417	0.400	104.3	70 - 130	
Carbaryl	ND	< 0.100		0.430	0.400	107.5	70 - 130	
Carbofuran	ND	< 0.100		0.400	0.400	100.0	70 - 130	
Chlorantraniliprol	ND	< 0.100		0.369	0.400	92.3	70 - 130	
Chlorfenapyr	ND	< 1.000		2.180	2.000	109.0	70 - 130	
Chlorpyrifos	ND	< 0.100		0.377	0.400	94.3	70 - 130	
Clofentezine	ND	< 0.100		0.450	0.400	112.5	70 - 130	
Cyfluthrin	ND	< 1.000		1.900	2.000	95.0	30 - 150	
Cypermethrin	ND	< 1.000		2.210	2.000	110.5	70 - 130	
Daminozide	ND	< 1.000		0.767	2.000	38.4	30 - 150	
Diazinon	ND	< 0.100		0.420	0.400	105.0	70 - 130	
Dichlorvos	ND	< 0.500		0.196	0.200	98.0	70 - 130	
Dimethoat	ND	< 0.100		0.407	0.400	101.8	70 - 130	
Ethoprophos	ND	< 0.100		0.409	0.400	102.3	70 - 130	
Etofenprox	ND	< 0.100		0.406	0.400	101.5	70 - 130	
Etoxazol	ND	< 0.100		0.443	0.400	110.8	70 - 130	
Fenoxycarb	ND	< 0.100		0.377	0.400	94.3	70 - 130	
Fenpyroximat	ND	< 0.100		0.423	0.400	105.8	70 - 130	
Fipronil	ND	< 0.100		0.450	0.400	112.5	70 - 130	
Flonicamid	ND	< 0.400		2.090	2.000	104.5	70 - 130	
Fludioxonil	ND	< 0.100		0.450	0.400	112.5	70 - 130	
Hexythiazox	ND	< 0.400		0.390	0.400	97.5	70 - 130	
Imazalil	ND	< 0.100		0.404	0.400	101.0	70 - 130	
Imidacloprid	ND	< 0.200		0.423	0.400	105.8	70 - 130	
Kresoxim-Methyl	ND	< 0.100		0.420	0.400	105.0	70 - 130	
Malathion	ND	< 0.100		0.441	0.400	110.3	70 - 130	
Metalaxyl	ND	< 0.100		0.387	0.400	96.8	70 - 130	
Methiocarb	ND	< 0.100		0.427	0.400	106.8	70 - 130	
Methomyl	ND	< 0.200		0.411	0.400	102.8	70 - 130	
MGK 264	ND	< 0.100		0.400	0.400	100.0	70 - 130	
Myclobutanil	ND	< 0.100		0.358	0.400	89.5	70 - 130	
Naled	ND	< 0.200		0.785	1.000	78.5	70 - 130	
Oxamyl	ND	< 0.400		2.000	2.000	100.0	70 - 130	
Paclobutrazol	ND	< 0.200		0.466	0.400	116.5	70 - 130	
Parathion Methyl	ND	< 0.200		0.367	0.400	91.8	30 - 150	
Permethrin	ND	< 0.100		0.419	0.400	104.8	70 - 130	
Phosmet	ND	< 0.100		0.382	0.400	95.5	70 - 130	
Piperonyl butoxide	ND	< 1.000		1.910	2.000	95.5	70 - 130	
Prallethrin	ND	< 0.200		0.435	0.400	108.8	70 - 130	
Propiconazole	ND	< 0.200		0.829	0.800	103.6	70 - 130	
Propoxur	ND	< 0.100		0.384	0.400	96.0	70 - 130	
Pyrethrins	ND	< 0.500		2.220	2.000	111.0	70 - 130	
Pyridaben	ND	< 0.100		0.559	0.400	139.8	70 - 130	Q1
Spinosad	ND	< 0.100		0.411	0.400	102.8	70 - 130	
Spiromesifen	ND	< 0.100		0.433	0.400	108.3	70 - 130	
Spirotetramat	ND	< 0.100		0.402	0.400	100.5	70 - 130	
Spiroxamine	ND	< 0.100		0.345	0.400	86.3	70 - 130	
Tebuconazol	ND	< 0.200		0.384	0.400	96.0	70 - 130	
Thiacloprid	ND	< 0.100		0.362	0.400	90.5	70 - 130	
Thiamethoxam	ND	< 0.100		0.414	0.400	103.5	70 - 130	
Trifloxystrobin	ND	< 0.100		0.419	0.400	104.8	70 - 130	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.