



This report cannot be used for OHA or OLCC compliance requirements.

Customer: Flying Skull
9220 SE Stark St.
Portland Oregon 97216
UNITED STATES

Product identity: Flying Skull Nuke Em 172 01A
Client/Metric ID: .
Sample Date: 08/07/17 14:30
Laboratory ID: 17-001554-0001
Relinquished by: Gordan Redman
Temp: 28 °C
Weight Received: 113.40 g

Sample Results

Pesticides											
Method AOAC 2007.01 & EN 15662 (mod)					Units mg/kg Batch 1701615			Analyze 8/16/17 16:37			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ		0.30	pass		Acephate	< LOQ		0.20	pass	
Acequinocyl	< LOQ		1.00	pass		Acetamiprid	< LOQ		0.10	pass	
Aldicarb	< LOQ		0.20	pass		Azoxystrobin	< LOQ		0.10	pass	
Bifentazate	< LOQ		0.10	pass		Bifenthrin	< LOQ		0.10	pass	
Boscalid	< LOQ		0.10	pass		Carbaryl	< LOQ		0.10	pass	
Carbofuran	< LOQ		0.10	pass		Chlorantraniliprole	< LOQ		0.10	pass	
Chlorfenapyr	< LOQ		1.00	pass		Chlorpyrifos	< LOQ		0.10	pass	
Clofentezine	< LOQ		0.10	pass		Cyfluthrin (incl. Beta-Cyfl)	< LOQ		1.00	pass	
Cypermethrin	< LOQ		1.00	pass		Daminozide	< LOQ		1.00	pass	
Diazinon	< LOQ		0.10	pass		Dichlorvos	< LOQ		0.50	pass	
Dimethoate	< LOQ		0.10	pass		Ethoprophos	< LOQ		0.10	pass	
Etofenprox	< LOQ		0.10	pass		Etoxazole	< LOQ		0.10	pass	
Fenoxycarb	< LOQ		0.10	pass		Fenpyroximate	< LOQ		0.10	pass	
Fipronil	< LOQ		0.10	pass		Fonicamid	< LOQ		0.40	pass	
Fludioxonil	< LOQ		0.10	pass		Hexythiazox	< LOQ		0.40	pass	
Imazalil	< LOQ		0.10	pass		Imidacloprid	< LOQ		0.20	pass	
Kresoxim-methyl	< LOQ		0.10	pass		Malathion	< LOQ		0.10	pass	
Metalaxyl	< LOQ		0.10	pass		Methiocarb	< LOQ		0.10	pass	
Methomyl	< LOQ		0.20	pass		MGK-264	< LOQ		0.10	pass	
Myclobutanil	< LOQ		0.10	pass		Naled	< LOQ		0.20	pass	
Oxamyl	< LOQ		0.40	pass		Paclbutrazole	< LOQ		0.20	pass	
Parathion-Methyl	< LOQ		0.20	pass		Permethrin	< LOQ		0.10	pass	
Phosmet	< LOQ		0.10	pass		Piperonyl butoxide	< LOQ		1.00	pass	
Prallethrin	< LOQ		0.20	pass		Propiconazole	< LOQ		0.20	pass	
Propoxur	< LOQ		0.10	pass		Pyrethrins	< LOQ		0.50	pass	



This report cannot be used for OHA or OLCC compliance requirements.

Pesticides		Method AOAC 2007.01 & EN 15662 (mod)				Units mg/kg	Batch 1701615	Analyze 8/16/17 16:37			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Pyridaben	< LOQ	0.10	pass			Spinosad	< LOQ	0.10	pass		
Spiromesifen	< LOQ	0.10	pass			Spirotetramat	< LOQ	0.10	pass		
Spiroxamine	< LOQ	0.10	pass			Tebuconazole	< LOQ	0.20	pass		
Thiacloprid	< LOQ	0.10	pass			Thiamethoxam	< LOQ	0.10	pass		
Trifloxystrobin	< LOQ	0.10	pass								



This report cannot be used for OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

mg/kg = Milligram per kilogram

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



This report cannot be used for OHA or OLCC compliance requirements.

Billing Address *Marco Industries Inc 9220 SE Stark St Port 97216*

12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

FLYINGSKUL 17-001554

PIXIS Labs
Member of Tentamus

ORELAP ID: OR100028

Company: <i>Flying Skull Plant Products</i>		Cannabis Chain		Flying Skull		Purchase Order Number: _____							
Contact: <i>Gordon Redman</i>		Pesticides		Moisture		Project Number: _____							
Address: <i>13896 Fir Street OC</i>		Potency		Terpenes		Project Name: _____							
Email: <i>Gordon@FlyingSkull.net</i>		Residual Solvents		Microbiology		<input type="checkbox"/> Report Instructions: <input type="checkbox"/> Send to State - METRC <input type="checkbox"/> Email Final Results: <input type="checkbox"/> Fax Final Results <input type="checkbox"/> Cash/Check/CC/Net 30 Other: _____							
Phone: <i>503 519 0809</i> Fax: _____		Water Activity		Metals									
Processor's License: <i>92</i>		Flying Skull											
Field ID	Date/Time Collected	Pesticides	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Microbiology	Metals	Matrix	Weight	Comments	Cont #s
<i>Flying Skull</i>										<i>conc.</i>	<i>4.02</i>		
<i>Nuke Em</i>													
<i>172 OIA</i>	<i>2:30 pm 0807</i>												
<i>Quality Control</i>													
<i>11631 - EGG</i>	<i>2:30 pm 0807</i>							<input checked="" type="checkbox"/>		<i>conc.</i>	<i>4.02</i>	<i>Mold Yeast</i>	
<i>17410</i>												<i>Bacteria</i>	
Collected By: _____		Relinquished By: _____		Date	Time	Received By: _____		Date	Time	Labs Use Only:			
<input type="checkbox"/> Standard 5 day <input type="checkbox"/> Rush (1.5 x Standard) <input type="checkbox"/> Priority Rush (2 x Standard)				<i>2:30</i>	<i>0807</i>	<i>[Signature]</i>		<i>8/7/17</i>	<i>14:35</i>	Client Alias: <i>FlyingSkull</i> Order Number: <i>17-001554</i> <input checked="" type="checkbox"/> Proper Container <input checked="" type="checkbox"/> Sample Condition <input checked="" type="checkbox"/> Temperature <input checked="" type="checkbox"/> Shipped Via: <i>Client 28C</i> Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM



This report cannot be used for OHA or OLCC compliance requirements.

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg		Batch ID: 1701615				
Method Blank			Laboratory Control Sample					
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Acephate	ND	< 0.200		0.346	0.400	86.5	70 - 130	
Acequinocyl	ND	< 1.000		0.966	1.000	96.6	70 - 130	
Acetamiprid	ND	< 0.100		0.178	0.200	89.0	70 - 130	
Aldicarb	ND	< 0.200		0.367	0.400	91.8	70 - 130	
Abamectin	ND	< 0.288		0.432	0.400	108.0	70 - 130	
Azoxystrobin	ND	< 0.100		0.198	0.200	99.0	70 - 130	
Bifenazate	ND	< 0.100		0.186	0.200	93.0	70 - 130	
Bifenthrin	ND	< 0.100		0.193	0.200	96.5	70 - 130	
Boscalid	ND	< 0.100		0.404	0.400	101.0	70 - 130	
Carbaryl	ND	< 0.100		0.193	0.200	96.5	70 - 130	
Carbofuran	ND	< 0.100		0.189	0.200	94.5	70 - 130	
Chlorantraniliprol	ND	< 0.100		0.230	0.200	115.0	70 - 130	
Chlorfenapyr	ND	< 1.000		0.955	1.000	95.5	70 - 130	
Chlorpyrifos	ND	< 0.100		0.194	0.200	97.0	70 - 130	
Clofentezine	ND	< 0.100		0.189	0.200	94.5	70 - 130	
Cyfluthrin	ND	< 1.000		0.465	0.400	116.3	30 - 150	
Cypermethrin	ND	< 1.000		0.360	0.400	90.0	70 - 130	
Daminozide	ND	< 1.000		0.222	0.200	111.0	30 - 150	
Diazinon	ND	< 0.100		0.193	0.200	96.5	70 - 130	
Dichlorvos	ND	< 0.500		0.702	0.400	175.5	70 - 130	Q1
Dimethoat	ND	< 0.100		0.183	0.200	91.5	70 - 130	
Ethoprophos	ND	< 0.100		0.200	0.200	100.0	70 - 130	
Etofenprox	ND	< 0.100		0.392	0.400	98.0	70 - 130	
Etoxazol	ND	< 0.100		0.200	0.200	100.0	70 - 130	
Fenoxycarb	ND	< 0.100		0.186	0.200	93.0	70 - 130	
Fenpyroximat	ND	< 0.100		0.377	0.400	94.3	70 - 130	
Fipronil	ND	< 0.100		0.378	0.400	94.5	70 - 130	
Flonicamid	ND	< 0.400		0.364	0.400	91.0	70 - 130	
Fludioxonil	ND	< 0.100		0.399	0.400	99.8	70 - 130	
Hexythiazox	ND	< 0.400		0.397	0.400	99.3	70 - 130	
Imazalil	ND	< 0.100		0.211	0.200	105.5	70 - 130	
Imidacloprid	ND	< 0.200		0.364	0.400	91.0	70 - 130	
Kresoxim-Methyl	ND	< 0.100		0.399	0.400	99.8	70 - 130	
Malathion	ND	< 0.100		0.186	0.200	93.0	70 - 130	
Metaxyl	ND	< 0.100		0.185	0.200	92.5	70 - 130	
Methiocarb	ND	< 0.100		0.142	0.200	71.0	70 - 130	
Methomyl	ND	< 0.200		0.328	0.400	82.0	70 - 130	
MGK 264	ND	< 0.100		0.182	0.200	91.0	70 - 130	
Myclobutanil	ND	< 0.100		0.194	0.200	97.0	70 - 130	
Naled	ND	< 0.200		0.009	0.400	2.2	70 - 130	Q2
Oxamyl	ND	< 0.400		0.394	0.400	98.5	70 - 130	
Paclbutrazol	ND	< 0.200		0.364	0.400	91.0	70 - 130	
Parathion Methyl	ND	< 0.200		0.406	0.400	101.5	30 - 150	
Permethrin	ND	< 0.100		0.176	0.200	88.0	70 - 130	
Phosmet	ND	< 0.100		0.191	0.200	95.5	70 - 130	
Piperonyl butoxide	ND	< 1.000		0.402	0.400	100.5	70 - 130	
Prallethrin	ND	< 0.200		0.184	0.200	92.0	70 - 130	
Propiconazole	ND	< 0.200		0.392	0.400	98.0	70 - 130	
Propoxur	ND	< 0.100		0.180	0.200	90.0	70 - 130	
Pyrethrins	ND	< 0.500		0.510	0.400	127.5	70 - 130	
Pyridaben	ND	< 0.100		0.198	0.200	99.0	70 - 130	
Spinosad	ND	< 0.100		0.209	0.200	104.5	70 - 130	
Spiromesifen	ND	< 0.100		0.209	0.200	104.5	70 - 130	
Spirotetramat	ND	< 0.100		0.181	0.200	90.5	70 - 130	
Spiroxamine	ND	< 0.100		0.379	0.400	94.8	70 - 130	
Tebuconazol	ND	< 0.200		0.379	0.400	94.8	70 - 130	
Thiacloprid	ND	< 0.100		0.187	0.200	93.5	70 - 130	
Thiamethoxam	ND	< 0.100		0.167	0.200	83.5	70 - 130	
Trifloxystrobin	ND	< 0.100		0.188	0.200	94.0	70 - 130	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg		Batch ID: 1701615		
Matrix Spike/Matrix Spike Duplicate Recoveries			Sample ID: 17-001554-0001			
Analyte	Result	MS Res	Spike	MS % Rec	Limits	Notes
Acephate	0.000	0.324	0.400	81.0	50 - 150	
Acequinocyl	0.000	0.219	1.000	21.9	50 - 150	Q2
Acetamiprid	0.000	0.170	0.200	85.0	50 - 150	
Aldicarb	0.000	0.308	0.400	77.0	50 - 150	
Abamectin	0.000	0.198	0.400	49.5	50 - 150	Q2
Azoxystrobin	0.000	0.192	0.200	96.0	50 - 150	
Bifenazate	0.000	0.177	0.200	88.5	50 - 150	
Bifenthrin	0.000	0.127	0.200	63.5	50 - 150	
Boscalid	0.000	0.406	0.400	101.5	50 - 150	
Carbaryl	0.000	0.158	0.200	79.0	50 - 150	
Carbofuran	0.000	0.133	0.200	66.5	50 - 150	
Chlorantraniliprol	0.000	0.222	0.200	111.0	50 - 150	
Chlorfenapyr	0.000	0.747	1.000	74.7	50 - 150	
Chlorpyrifos	0.000	0.174	0.200	87.0	50 - 150	
Clofentezine	0.000	0.164	0.200	82.0	50 - 150	
Cyfluthrin	0.000	0.267	0.400	66.8	30 - 150	
Cypermethrin	0.000	0.209	0.400	52.3	50 - 150	
Daminozide	0.000	0.481	0.400	120.3	30 - 150	
Diazinon	0.000	0.142	0.200	71.0	50 - 150	
Dichlorvos	0.000	0.347	0.400	86.8	50 - 150	
Dimethoat	0.000	0.174	0.200	87.0	50 - 150	
Ethoprophos	0.000	0.170	0.200	85.0	50 - 150	
Etofenprox	0.000	0.246	0.400	61.5	50 - 150	
Etoazol	0.000	0.097	0.200	48.6	50 - 150	Q2
Fenoxycarb	0.000	0.196	0.200	98.0	50 - 150	
Fenpyroximat	0.000	0.149	0.400	37.3	50 - 150	Q2
Fipronil	0.000	0.413	0.400	103.3	50 - 150	
Flonicamid	0.000	0.319	0.400	79.8	50 - 150	
Fludioxonil	0.000	0.347	0.400	86.8	50 - 150	
Hexythiazox	0.000	0.305	0.400	76.3	50 - 150	
Imazalil	0.000	0.182	0.200	91.0	50 - 150	
Imidacloprid	0.000	0.335	0.400	83.8	50 - 150	
Kresoxim-Methyl	0.000	0.150	0.400	37.5	50 - 150	Q2
Malathion	0.000	0.150	0.200	75.0	50 - 150	
Metaxyl	0.000	0.147	0.200	73.5	50 - 150	
Methiocarb	0.000	0.091	0.200	45.5	50 - 150	Q2
Methomyl	0.000	0.334	0.400	83.5	50 - 150	
MGK 264	0.000	0.210	0.200	105.0	50 - 150	
Myclobutanil	0.000	0.313	0.200	156.5	50 - 150	Q1
Naled	0.000	0.719	0.400	179.8	50 - 150	Q1
Oxamyl	0.000	0.369	0.400	92.3	50 - 150	
Paclbutrazol	0.056	0.357	0.400	75.2	50 - 150	
Parathion Methyl	0.000	0.151	0.400	37.8	30 - 150	
Permethrin	0.000	0.121	0.200	60.5	50 - 150	
Phosmet	0.000	0.097	0.200	48.3	50 - 150	Q2
Piperonyl butoxide	0.000	0.323	0.400	80.8	50 - 150	
Prallethrin	0.000	0.181	0.200	90.5	50 - 150	
Propiconazole	0.000	0.276	0.400	69.0	50 - 150	
Propoxur	0.000	0.139	0.200	69.5	50 - 150	
Pyrethrins	0.000	0.275	0.400	68.8	50 - 150	
Pyridaben	0.000	0.129	0.200	64.5	50 - 150	
Spinosad	0.000	0.160	0.200	80.0	50 - 150	
Spiromesifen	0.000	0.104	0.200	52.0	50 - 150	
Spirotetramat	0.000	0.271	0.200	135.5	50 - 150	
Spiroxamine	0.000	0.327	0.400	81.8	50 - 150	
Tebuconazol	0.000	0.265	0.400	66.3	50 - 150	
Thiacloprid	0.000	0.153	0.200	76.5	50 - 150	
Thiamethoxam	0.000	0.154	0.200	77.0	50 - 150	
Trifloxystrobin	0.000	0.200	0.200	100.0	50 - 150	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for OHA or OLCC compliance requirements.

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.